References for Supplementary Material

Angelier, J., Lee, J. C., Chu, H. T., and Hu, J. C.: Reconstruction of fault slip of the September 21st, 1999, Taiwan earthquake in the asphalted surface of a car park, and co-seismic slip partitioning, J. Struct. Geol., 25, 345-350, 2003.

Bilham, R. and Yu, T. T.: The morphology of thrust faulting in the 21 September 1999, Chichi, Taiwan earthquake, J. Asian Earth Sci., 18, 351-367, 2000.

Central Geological Survey, MOEA at http://gis.moeacgs.gov.tw/gwh/gsb97-1/sys8/index.cfm

Chang, J. C. and Yang, G. S.: Deformation and occurrence of the Che-lung-pu Fault from geomorphic evidence, Quat. Int., 115-116, 177-188, 2004.

Chen, C. H., Chou, H.S., Yang, C.Y., Shieh, B. J., and Kao, Y. H.: Chelungpu fault inflicted damages of pile foundations on FWY rout 3 and Fault zoning regulations in Taiwan, A Workshop on Seismic Fault-induced Failures, Tokyo, 2003.

Chen, G. H., Xu, X. W., Zheng, R. Z., Yu, G. H., Li, F., Li, C. X., Wen, X. Z., He, Y. L., Ye, Y. Q., Chen, X. C., and Wang, Z. C.: Quantitative analysis of the co-seismic surface rupture of the 2008 Wenchuan earthquake, Sichuan, China along the Beichuan-Yingxiu Fault, Seismol. Geol., 30 (3), 723-738, 2008 (in Chinese with English abstract).

Chen, W. C., Chu, H. T., and Lai, T. C.: Surface ruptures of the Chi-Chi Earthquake in the Shihgang Dam area, Special Issue for the Chi-Chi Earthquake, 1999, Special Publication of the Central Geological Survey, 12, 41-62, 2000 (in Chinese with English abstract).

Crone, A. J., Machette, M. N., and Bowman, J. R.: Geologic investigations of the 1988 Tennant Creek, Australia, earthquakes— Implications for paleoseismicity in stable continental regions, U.S. Geol. Surv. Bull. 2032-A, A1–A51, 1992.

Dong S, Zhang Y, Wu Z, Yang, N., Ma, Y., Shi, W., Chen, Z., Long, C., and An, M.: Surface Rupture and Co-seismic Displacement Produced by the Ms8.0 Wenchuan Earthquake of May 12th, 2008, Sichuan, China: Eastwards Growth of the Qinghai-Tibet Plateau, Acta Geol. Sin., 82 (5), 938-948, 2008a.

Dong, S., Han, Z., and An, Y.: Surface deformation at the epicenter of the May 12, 2008 Wenchuan M8 Earthquake, at Yingxiu Town of Sichuan Province, China, Sci. China Ser. E, 51, 154–163, doi:10.1007/s11431-008-6007-0, 2008b.

Faccioli, E., Anastasopoulos, I., Gazetas, G., Callerio, A., and Paolucci R.: Fault rupture–foundation interaction: selected case histories, Bull. Earthquake Eng., 6 (4), 557-583, 2008.

Huang, C., Chan, Y. C., Hu, J. C., Angelier, J., and Lee, J. C.: Detailed surface co-seismic displacement of the 1999 Chi-Chi earthquake in western Taiwan and implication of fault geometry in the shallow subsurface, J. Struct. Geol., 30, 1167-1176, 2008.

Huang, W. J., Chen, Z. Y., Liu, S. Y., Lin, Y. H., Lin, C. W., and Chang, H. C.: Surface deformation models of the 1999 Chi–Chi earthquake between Tachiachi and Toupienkengchi, central Taiwan, Special

Issue for the Chi-Chi Earthquake, 1999, Special Publication of the Central Geological Survey, 12, 63–87, 2000 (in Chinese with English abstract).

Huang, W. J.: Deformation at the leading edge of thrust faults, Ph.D. dissertation, Purdue University, West Lafayette, Indiana, 435 pp., 2006.

Ishimura, D., Okada, S., Niwa, Y., and Toda, S.: The surface rupture of the 22 November 2014 Nagano-ken-hokubu earthquake (Mw 6.2), along the Kamishiro fault, Japan, Active Fault Research, 43, 95-108, 2015 (in Japanese with English abstract).

Kaneda, H., Nakata, T., Tsutsumi, H., Kondo, H., Sugito, N., Awata, Y., Akhtar, S. S., Majid, A., Khattak, W., Awan, A. A., Yeats, R. S., Hussain, A., Ashraf, M., Wesnousky, S. G. and Kausar, A. B.: Surface rupture of the 2005 Kashmir, Pakistan, Earthquake and its active tectonic implications, Bull. Seismol. Soc. Am., 98, 521–557, 2008.

Kawashima, K.: Damage of bridges resulting from fault rupture in the 1999 Kocaeli and Dunce, Turkey earthquakes and the 1999 Chi-Chi, Taiwan earthquake, Structural Engineering/Earthquake Engineering, 19(2), 179s–197s, 2002.

Kelson, K. I., Kang, K. H., Page, W. D., Lee, C. T., and Cluff, L. S., 2001: Representative styles of deformation along the Chelungpu Fault from the 1999 Chi-Chi (Taiwan) earthquake: geomorphic characteristic and responses of man-made structures, Bull. Seismol. Soc. Am., 91(5), 930–952, 2001.

Kelson, K. I., Koehler, R. D., Kang, K.-H., Bray, J. D. and Cluff, L. S.: Surface deformation produced by the 1999 Chi-chi (Taiwan) earthquake and interactions with built structures, Final Technical Report, U.S.G.S. Award No. 01-HQ-GR-0122, 21 pp., 2003.

Konagai, K., Hori, M., Meguro, K., Koseki, J., Matsushima, T., Johansson, J., and Murata, O.: Key Points for Rational Design for Civil Infrastructures near Seismic Faults Reflecting Soil-Structure Interaction Features, Report of JSPS research project, grant-in-aid for scientific research (A) Project No.16208048, 2006.

Kumahara, Y. and Nakata, T.: Recognition of active faults generating the 2005 Pakistan earthquake based on interpretation of the CORONA satellite photographs, E-journal GEO, 2 (2), 72-85, 2007 (In Japanese with English abstract).

Lee, G. C. and Loh, C. H. (Eds): The Chi-Chi, Taiwan Earthquake of September 21, 1999: Reconnaissance Report, Technical Report MCEER-00-0003 April 30, 2000.

Lee, J. C. and Chan, Y. C.: Structure of the 1999 Chi-Chi earthquake rupture and interaction of thrust faults in the active fold belt of western Taiwan, J. Asian Earth Sci., 31, 226-239, 2007.

Lee, J. C., Chen, Y. G., Sieh, K., Mueller, K., Chen, W. S., Chu, H. T., Chan, Y. C., Rubin, C., and Yeats, R.: A Vertical Exposure of the 1999 Surface Rupture of the Chelungpu Fault at Wufeng, Western Taiwan: Structural and Paleoseismic Implications for an Active Thrust Fault, Bull. Seismol. Soc. Am., 91, 5, pp. 914-929, 2001.

Lee, Y. H., Hsieh, M. L., Lu, S. D., Shih, T. S., Wu, W. Y., Sugiyama, Y., Azuma, T., and Kariya, Y.: Slip vectors of the surface rupture of the 1999 Chi-Chi earthquake, western Taiwan, J. Struct. Geol., 25, 1917-1931, 2003.

Lee, Y. H., Wu, K. C., Rau, R. J., Chen, H. C., Lo, W., and Cheng, K. C.: Revealing coseismic displacements and the deformation zones of the 1999 Chi-Chi earthquake in the Tsaotung area, central Taiwan, using digital cadastral data, J. Geophys. Res., 115, B03419, 2010.

Lin, A., Sano, M., Yan, B., and Wang, M.: Co-seismic surface ruptures produced by the 2014 Mw 6.2 Nagano earthquake, along the Itoigawa–Shizuoka tectonic line, central Japan, Tectonophysics, 656, 142-153, 2015.

Lin, W. H.: On surface deformations from the Chi-Chi earthquake in the Shihkang and Chutzekeng areas, Special Issue for the Chi-Chi Earthquake, 1999, Special Publication of the Central Geological Survey, 12, 1-17, 2000 (in Chinese with English abstract).

Liu-Zeng, J., Sun, J., Wang, P., Hudnut, K. W., Ji, C., Zhang, Z., Xu, Q., and Wen, L.: Surface ruptures on the transverse Xiaoyudong fault: A significant segment boundary breached during the 2008 Wenchuan earthquake, China, Tectonophysics 580, 218–241, 2012.

Liu-Zeng, J., Sun, J., Zhang, Z., Wen, L., Xing, X., Hu, G., and Xu, Q.: Detailed mapping of surface rupture of the Wenchuan Ms 8.0 earthquake near Hongkou and seismotectonic implications, Quaternary Sciences, 30 (1), 1-29, 2010 (in Chinese with English abstract).

Liu-Zeng, J., Zhang, Z., Wen, L., Tapponnier, P., Sun, J., Xing, X., Hu, G., Xu, Q., L. Zeng, L., Ding, L., Ji, C., Hudnut, K.W., and van der Woerd, J.: Co-seismic ruptures of the 12 May 2008, Ms 8.0 Wenchuan earthquake, Sichuan: East–west crustal shortening on oblique, parallel thrusts along the eastern edge of Tibet, Earth Plan. Sci. Lett., 286, 355-370, 2009.

Machette, M. N., Crone, A. J., and Bowman, J. R.: Geologic investigations of the 1986 Marryat Creek, Australia, earthquakes - implications for paleoseismicity in stable continental regions, U.S. Geol. Sur. Bull. 2032-B, 29, 1993.

Meghraoui, M., Jaegy, R., Lammali, K., and Albarède, F.: Late Holocene earthquake sequences on the El Asnam (Algeria) thrust fault, Earth Planet. Sci. Lett., 90, 187–203, 1988.

Okada, S., Ishimura, D., Niwa, Y., and Toda, S.: The First Surface-Rupturing Earthquake in 20 Years on a HERP Active Fault is Not Characteristic: The 2014 Mw 6.2 Nagano Event along the Northern Itoigawa–Shizuoka Tectonic Line, Seismol. Res. Lett., 86 (5), 1–14, 2015.

Ota, Y., Huang, C. Y., Yuan, P. B., Sugiyama, Y., Lee, Y. H., Watanabe, M., Sawa, H., Yanagida, M., Sasaki, S., Suzuki, Y., Tang, H. S., Shu, U.T., Yang, S. Y., Hirouchi, D., and Taniguchi, K.: Trenching Study at the Tsautun Site on the Central Part of The Chelungpu Fault, Taiwan, J. Geogr., 110 (5), 698-707, 2001 (in Japanese with English abstract).

Ota, Y., Shishikura, M., Ichikawa, K., Watanabe, M., Yanagida, M., Tanaka, T., Sawa, H., Yamaguchi, M., Lee, Y. H., Lu, S. T., Shih, T. S., and Amagasa, S.: Low-angle reverse faulting during two earthquakes

on the northern part of the Chelungpu fault, deduced from the Fengyuan trench, Central Taiwan, Terr. Atmos. Ocean. Sci., v. 18, no. 1, p. 55–66, 2007b.

Ota, Y., Watanabe, M., Suzuki, Y., Yanagida, M., Miyawaki, A., and Sawa, H.: Style of the surface deformation by the 1999 Chichi earthquake at the central segment of Chelungpu fault, Taiwan, with special reference to the presence of the main and subsidiary faults and their progressive deformation in the Tsauton area, J. Asian Earth Sci., 31, 214-225, 2007a.

Philip, H. and Meghraoui, M.: Structural analysis and interpretation of the surface deformation of the El Asnam earthquake of October 10, 1980, Tectonics, 2, 17-49, 1983.

Philip, H., Rogozhin, E., Cisternas, A., Bousquet, J. C., Borisov, B., and Karakhanian, A.: The Armenian earthquake of 1988 December 7: faulting and folding, neotectonics and palaeoseismicity, Geophys. J. Int., 110, 141-158, 1992.

Rajendran, C. P., Rajendran, K., Unnikrishnan, K. R., and John, B.: Palaeoseismic indicators in the rupture zone of the 1993 Killari (Latur) earthquake, Curr. Sci., 70 (5), 385-390, 1996.

Rymer, M. J., Kendrick, K. J., Lienkaemper, J. J., and Clark, M. M.: Surface rupture on the Nunez fault during the Coalinga earthquake sequence, in Rymer, M.J, and Ellsworth, W.L. eds., The Coalinga, California, Earthquake of May 2, 1983, U.S. Geol. Sur. Prof. Paper 1487, 299-318, 1990.

Seeber, L., Ekstrom, G., Jain, S.K., Murty, C.V.R., Chandak, N., and Armbruster, J. G.: The 1993 Killari earthquake in central India: a new fault in Mesozoic basalt flows?, J. Geophys. Res., 101, 8543-8560, 1996.

U.S. Geological Survey Staff: Surface faulting, in: The San Fernando, California, earthquake of February 9, 1971, U.S. Geol. Sur. Prof. Paper 733, 55-76, 1971.

Wang, H., Ran, Y, Chen, L., Shi, X., Liu, R., and Gomez, F.:Determination of horizontal shortening and amount of reverse-faulting from trenching across the surface rupture of the 2008 Mw 7.9 Wenchuan earthquake, China, Tectonophysics, 491, 10–20, 2010.

Xu, X., Wen, X., Ye, J., Ma, B., Chen, J., Zhou, R., He, H., Tian, Q., He, Y., Wang, Z., Sun, Z., Feng, X., Yu, G., Chen, L., Chen, G., Yu, S., Ran, Y., Li, X., Li, C., and An, Y.: The Ms 8.0 Wenchuan earthquake surface ruptures and its seismogenic structure, Seismol. Geol., 30 (3), 597-629, 2008 (in Chinese with English abstract).

Yelding, G., Jackson, J. A., King, G. C. P., Sinvhal H., Vita-Finzi, C., Wood, R. M.: Relations between surface deformation, fault geometry, seismicity, and rupture characteristics during the El Asnam (Algeria) earthquake of the 10 October 1980, Earth Planet. Sci. Lett., 56, 287-304, 1981.

Yu, G. H., Xu, X. W., Chen, G. H., Gou, T. T., Tan, X. B., Yang, H., Gao, X., An, Y. F., and Yuan, R. M.: Relationship between the localization of surface ruptures and building damages associated with the Wenchuan 8.0 earthquake, Chinese J. Geophysics, Vol. 52, No. 6, pp. 1294-1311, 2009.

Yu, G., Xu, X., Klinger, Y., Diao, G., Chen, G., Feng, X., Li, C., Zhu, A., Yuan, R., Guo, T., Sun, X., Tan, X., and An, Y.: Fault-Scarp Features and Cascading-Rupture Model for the Mw 7.9 Wenchuan

Earthquake, Eastern Tibetan Plateau, China, Bull. Seismol. Soc. Am., Vol. 100, No. 5B, pp. 2590-2614, 2010.

Zhang, J. Y., Bo, J. S., Xu, G. D., and Huang, J. Y.: Buildings Setbacks Research From Surface-Fault-Rupture Statistical Analysis, Applied Mechanics and Materials, Vols. 204-208, pp. 2410-2418, 2012.

Zhang, Y. S., Shi, J. S., Sun, P., Yang, W., Yao, X., Zhang, C. S., and Xiong T. Y.: Surface ruptures induced by the Wenchuan earthquake: Their influence widths and safety distances for construction sites, Eng. Geol. 166, 245–254, 2013.

Zhang, Y. S., Sun, P., Shi, J. S., Yao, X., and Xiong, T. Y.: Investigation of rupture influenced zones and their corresponding safe distances for reconstruction after 5.12 Wenchuan earthquake, Eng. Geol., 18 (3), 312-319, 2010 (in Chinese with English abstract).

Zhou, Q., Xu, X., Yu, G., Chen, X., He, H., and Yin, G.: Width Distribution of the Surface Ruptures Associated with the Wenchuan Earthquake: Implication for the Setback Zone of the Seismogenic Faults in Post-earthquake Reconstruction, Bull. Seismol. Soc. Am., Vol. 100, No. 5B, pp. 2660-2668, 2010.